



Nutsert® / Finsert® FW78







English	Français	Deutsch	Italiano	Español
Large flange	A collerette	Flachkopf	Flangiato	Ala Ancha
Aluminium alloy* (2.5 % Mg)	Alliage d'aluminium* (2.5% Mg)	Aluminium* (2.5 % Mg)	Lega di alluminio* (2.5% Mg)	Aluminio* (2.5% Mg)
Natural	Brut	Blank	Nessuna finitura	Natural

* : AA 5052, DIN 1725, AlMg2.5, Werkstoff 3.3523



ø	e (grip)		 +0.1/-0	A	B	D	J	M	P	Part No/ref
	min.	max.		max.	± 0.35	± 0.15	max.	± 0.35	max.	
M3 x 0.5	0.25	2.00	5.10	5.00	8.00	0.75	7.00	10.50	6.50	0FW78-00320
	2.00	3.00						11.50		0FW78-00330
M4 x 0.7	0.25	3.00	6.10	6.00	10.00	0.75	8.10	11.50	6.80	0FW78-00430
	3.00	4.50						13.00		0FW78-00445
M5 x 0.8	0.25	3.00	7.10	7.00	11.00	1.00	9.60	13.00	8.30	0FW78-00530
	3.00	5.50						16.00		0FW78-00555
M6 x 1.0	0.50	3.00	9.10	9.00	13.00	1.50	12.10	16.00	10.00	0FW78-00630
	3.00	5.50						18.00		0FW78-00655
	5.50	8.00						20.50		0FW78-00680
M8 x 1.25	0.50	3.00	11.10	11.00	16.00	1.50	14.50	17.50	11.50	0FW78-00830
	3.00	5.50						20.00		0FW78-00855
	5.50	8.00						23.00		0FW78-00880
M10 x 1.5	0.80	3.50	12.50	12.40	18.50	2.25	16.50	22.00	14.70	0FW78-01035
	3.50	6.00						25.00		0FW78-01060

all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros

ø	 Recommended max. torque	 Pull-out	 Torque-to-turn	 Push-out
	Nm max.	kN	Nm min.	kN
M3 x 0.5	1.2	3.4	0.7	1.1
M4 x 0.7	4.0	4.9	1.7	1.6
M5 x 0.8	5.3	6.0	1.8	2.0
M6 x 1.0	10.8	8.6	2.3	3.6
M8 x 1.25	23.0	12.3	6.9	4.5
M10 x 1.5	28.0	15.7	7.5	5.2



An Acument™ Global Technologies Company

www.avdel-global.com

© 2007 Acument Intellectual Properties, LLC

Nutsert® and Finsert® are trademarks of Avdel UK Limited

03.2007

Data shown is subject to change without prior notice as a result of continuous product development and improvement policy.
Your local Avdel representative is at your disposal should you need to confirm latest information.